

FLAT TOP FLAT FRONT 10K

	7 x 14	7 x 16	7 x 18	8.5 x 16	8.5 x 18	8.5 x 20
B	Y8414CHD-TA-	Y8416CHD-TA-	Y8418CHD-TA-	Y10216CHD-TA-	Y10218CHD-TA-	Y10220CHD-TA-
Model #	100	100	100	100	100	100
CAPACITIES						
GVWR (lbs)		9900				
GAWR (lbs/axle)				5200		
Curb Weight	2900	3050	3600	3370	3520	3670
Payload	7000	6850	6300	6530	6380	6230
CHASSIS						
Tongue			12" Extension, 6"	x 2" Steel Triple Tube	9	
Crossmembers			Formed Stee	el, 12" On-Center		
Coupler			2-5/16'	' Adjustable		
Safety Chains		DOT Compliant				
Tongue Jack		7K Drop Leg, Set-Back				
Wall Studs	Heavy Duty Gussets, Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 12" On-Center					
Front Profile	Flat					
Ramp(s)	4000 lb. with Assist and Integrated Transition					
Side Door	32" Wide Flush Lock, Additional Barlock and Hasp, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Torsion Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels Exterior Finish	15", 6-Hole Steel					
Undercoating	.030" Aluminum					
Protective Coating(s)		Automotive Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel				
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum, Walk-On					
Exterior Storage	(4) Ladder Racks					
Exterior Accessories	ATP and Engineered Wood Tongue Cover, Front Access Ladder					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	10' Surface Mounted E-Track, (6) 6000 lb. Recessed D-Rings					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





FLAT TOP FLAT FRONT 10K

	7 x 14	7 x 16	7 x 18	8.5 x 16	8.5 x 18	8.5 x 20
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	229"	253"	277"	253"	277"	301"
Deck Length	164"	188"	212"	188"	212"	236"
Deck Width	81"		97"			
Deck Height	21"					







FLAT TOP FLAT FRONT 14K

	8.5 x 16	8.5 x 20	8.5 x 24	
Model #	Y10216CHD-TA-140	Y10220CHD-TA-140	Y10224CHD-TA-140	
CAPACITIES				
GVWR (lbs)	14000			
GAWR (lbs/axle)	7000			
Curb Weight	3600 3950 4420			
Payload	10400	10050	9580	
CHASSIS				
Tongue		12" Extension, 6" x 2" Steel Triple Tube		
Crossmembers		Formed Steel, 12" On-Center		
Coupler		2-5/16" Adjustable		
Safety Chains		DOT Compliant		
Tongue Jack		7K Drop Leg, Set-Back		
Wall Studs	Heavy Duty Gussets, Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 12" On-Center			
Front Profile	Flat			
Ramp(s)	4000 lb. with Assist and Integrated Transition			
Side Door	32" Wide Flush Lock, Additional Barlock and Hasp, Cast Aluminum Holdback			
Vents	Sidewall Airflow			
Fenders	Smooth Aluminum			
Axle	(2) 7000 lb. Torsion Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST235/80R16E 10-PR			
Wheels	16", 8-Hole Steel			
Exterior Finish	.030" Aluminum			
Undercoating	Automotive			
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel			
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)			
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion			
Stone Guard Roof	24" ATP			
	Flat Top Seamless Aluminum, Walk-On (4) Ladder Packs			
Exterior Storage Exterior Accessories	(4) Ladder Racks ATP and Engineered Wood Tongue Cover, Front Access Ladder			
Interior Walls	Engineered Wood Engineered Wood			
Interior Trim	Extruded Aluminum Wall Transitions			
Interior Lights	(1) LED			
Switches	(1) Dome Light, 12V			
Cargo Control	10' Surface Mounted E-Track, (6) 6000 lb. Recessed D-Rings			
Connector Plug	Round 7-pin Blade			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





FLAT TOP FLAT FRONT 14K

	8.5 x 16	8.5 x 20	8.5 x 24
Exterior Lights	Full LED, DOT Compliant		
DIMENSIONS			
Overall Length	253"	301"	349"
Deck Length	188"	236"	284"
Deck Width	97"		
Deck Height	23"		







FLAT TOP FLAT FRONT 7K

	7 x 14	7 x 16		
Model #	Y8414CHD-TA-070	Y8416CHD-TA-070		
CAPACITIES				
GVWR (lbs)		7000		
GAWR (lbs/axle)	3500			
Curb Weight	2750	2900		
Payload	4250	4100		
CHASSIS				
Tongue	12" Extension.	, 6" x 2" Steel Triple Tube		
Crossmembers		Steel, 12" On-Center		
Coupler		16" Adjustable		
Safety Chains		OT Compliant		
Tongue Jack	7K Dro	op Leg, Set-Back		
Wall Studs	Heavy Duty Gusse	ts, Steel Tube, 16" On-Center		
Roof Bows	Steel Tu	ıbe, 12" On-Center		
Front Profile		Flat		
Ramp(s)	4000 lb. with Assi	4000 lb. with Assist and Integrated Transition		
Side Door	32" Wide Flush Lock, Additional E	32" Wide Flush Lock, Additional Barlock and Hasp, Cast Aluminum Holdback		
Vents	Sid	Sidewall Airflow		
Fenders	Smo	Smooth Aluminum		
Axle	(2) 3500	(2) 3500 lb. Torsion Brake		
Hubs	Easy Lube			
Breakaway	Battery, S	Battery, Switch, and Lanyard		
Tires	ST205/75R15C 6-PR			
Wheels	15", 5-Hole Steel			
Exterior Finish	.030" Aluminum			
Undercoating		Automotive		
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel			
Exterior Fastening	•	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)		
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion			
Stone Guard		24" ATP		
Roof	·	Flat Top Seamless Aluminum, Walk-On		
Exterior Storage	· ·	(4) Ladder Racks		
Exterior Accessories	•	ATP and Engineered Wood Tongue Cover, Front Access Ladder		
Interior Walls	-	Engineered Wood		
Interior Trim	Extruded Alu	Extruded Aluminum Wall Transitions		
Interior Lights		(1) LED		
Switches		(1) Dome Light, 12V		
Cargo Control		10' Surface Mounted E-Track, (6) 6000 lb. Recessed D-Rings		
Connector Plug	Round 7-pin Blade			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





FLAT TOP FLAT FRONT 7K

	7 x 14	7 x 16	
Exterior Lights	Full LED, DOT Compliant		
DIMENSIONS			
Overall Length	229"	253"	
Deck Length	164"	188"	
Deck Width	81"		
Deck Height	19"		

