



# **ROUND TOP ROUND FRONT 7K**

	7 x 14	7 x 16	8.5 x 16	8.5 x 18		
Model #	Y8414LHD-TA-070	Y8416LHD-TA-070	Y10216LHD-TA-070	Y10218LHD-TA-070		
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	2250	3270				
Payload	4750	4500	3880	3730		
CHASSIS						
Tongue		12" Extension, 6"	x 2" Steel Triple Tube			
Crossmembers		Formed Stee	el, 12" On-Center			
Coupler		2-5/16"	Adjustable			
Safety Chains		DOT C	Compliant			
ongue Jack		7K Drop L	.eg, Set-Back			
Wall Studs		Heavy Duty Gussets, S	Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 16" On-Center					
ront Profile	Round					
Ramp(s)	5100 lb. with Assist and Integrated Transition					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
/ents	(2) Manual Roof, Sidewall Airflow					
enders	Smooth Aluminum					
Axle	(2) 3500 lb. Torsion Brake					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
<b>Jndercoating</b>	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 3" Bottom Extrusion					
Stone Guard	24" ATP					
Roof Con	Round Top Seamless Aluminum, Walk-On					
Roof Cap	TPO Engineered Wood					
nterior Walls nterior Trim	2//I" En			rancitione		
looring	3/4" Engineered Wood Kickplate, 12" Tall, Extruded Aluminum Wall Transitions					
nterior Lights	3/4" Engineered Wood (2) LED					
Switches	(2) LED (1) Dome Light, 12V					
Fixtures	48" Posts with (3) Gridiron Trimmer Brackets, Wood Shelf with 2" Lip					
Cargo Control	(6) 6000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## **ROUND TOP ROUND FRONT 7K**

	7 x 14	7 x 16	8.5 x 16	8.5 x 18	
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	236"	261"		285"	
Deck Length	177"	201	II	225"	
Deck Width	81" 97"		97"		
Deck Height	21"				





## **ROUND TOP ROUND FRONT 14K**

	8.5 x 20			
Model #	Y10220LHD-TA-140			
	TIVEZVETID TA 140			
CAPACITIES				
GVWR (lbs)	14000			
GAWR (lbs/axle)	7000			
Curb Weight	4525			
Payload	9475			
CHASSIS				
Tongue	12" Extension, 6" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 12" On-Center			
Coupler	2-5/16" Adjustable			
Safety Chains	DOT Compliant			
Tongue Jack	7K Drop Leg, Set-Back			
Wall Studs	Heavy Duty Gussets, Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 16" On-Center			
Front Profile	Round			
Ramp(s)	5100 lb. with Assist and Integrated Transition			
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback			
Vents	(2) Manual Roof, Sidewall Airflow			
Fenders	Smooth Aluminum			
Axle	(2) 7000 lb. Torsion Brake			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST235/80R16E 10-PR			
Wheels	16", 8-Hole Steel			
<b>Exterior Finish</b>	.030" Aluminum			
Undercoating	Automotive			
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel			
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)			
Exterior Trim	.080 Aluminum Roof Cove, 3" Bottom Extrusion			
Stone Guard	24" ATP			
Roof	Round Top Seamless Aluminum, Walk-On			
Roof Cap	TP0			
Interior Walls	Engineered Wood			
Interior Trim	3/4" Engineered Wood Kickplate, 12" Tall, Extruded Aluminum Wall Transitions			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) LED			
Switches	(1) Dome Light, 12V			
Fixtures	48" Posts with (3) Gridiron Trimmer Brackets, Wood Shelf with 2" Lip			
Cargo Control	(6) 6000 lb. Recessed D-Rings			
Connector Plug	Round 7-pin Blade			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## **ROUND TOP ROUND FRONT 14K**

	8.5 x 20		
<b>Exterior Lights</b>	Full LED, DOT Compliant		
DIMENSIONS			
Overall Length	309"		
Deck Length	249"		
Deck Width	97"		
Deck Height	23"		





# **ROUND TOP ROUND FRONT 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	
Model #	Y10216LHD-TA-100	Y10218LHD-TA-100	Y10220LHD-TA-100	Y10222LHD-TA-100	Y10224LHD-TA-100	
CAPACITIES						
GVWR (lbs)		9900		10000	9900	
GAWR (lbs/axle)			5200			
Curb Weight	3755	3980	4205	4430	4655	
Payload	6145	5920	5695	5570	5245	
CHASSIS						
Tongue		12" Ext	ension, 6" x 2" Steel Trip	le Tube		
Crossmembers		Fo	ormed Steel, 12" On-Cent	ter		
Coupler			2-5/16" Adjustable			
Safety Chains			DOT Compliant			
Tongue Jack			7K Drop Leg, Set-Back			
Wall Studs		Heavy Duty	Gussets, Steel Tube, 16	" On-Center		
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	Round					
Ramp(s)	5100 lb. with Assist and Integrated Transition					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	(2) Manual Roof, Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Torsion Brake					
Breakaway	Battery, Switch, and Lanyard					
Tires			ST225/75R15D 8-PR			
Wheels		15", 6-Hole Steel				
Exterior Finish		.030" Aluminum				
Undercoating		Automotive				
Protective Coating(s)		Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel				
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 3" Bottom Extrusion					
Stone Guard Roof	24" ATP					
Roof Cap	Round Top Seamless Aluminum, Walk-On					
Interior Walls	TPO Engineered Wood					
Interior Trim	Engineered Wood  3/4" Engineered Wood Kickplate, 12" Tall, Extruded Aluminum Wall Transitions					
Flooring	3/4 Engineered wood kickplate, 12 Tall, Extruded Aluminum Wall Transitions  3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Fixtures	48" Posts with (3) Gridiron Trimmer Brackets, Wood Shelf with 2" Lip					
Cargo Control	(6) 6000 lb. Recessed D-Rings					
Connector Plug		Round 7-pin Blade				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## **ROUND TOP ROUND FRONT 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	261"	285"	309"	333"	357"
Deck Length	201"	225"	249"	273"	297"
Deck Width	97"				
Deck Height	21"				

