



SE SERIES CARGO FLAT TOP FLAT FRONT 14K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	Y10216HLF-TA-140	Y10218HLF-TA-140	Y10220HLF-TA-140	Y10222HLF-TA-140	Y10224HLF-TA-140	Y10226HLF-TA-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
Curb Weight	2950	3535	3685	3835	4420	4620
Payload	11050	10465	10315	10165	9580	
CHASSIS						
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Flat					
Ramp(s)	4000 lb. with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP FLAT FRONT 14K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
DIMENSIONS						
Overall Length	252"	276"	300"	324"	348"	372"
Deck Length	189"	213"	237"	261"	285"	309"
Deck Width	97"					
Deck Height	24"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP V-NOSE 5K

6 x 12		7 x 12	
Model #	Y7212SA-050		Y8412SA-050
CAPACITIES			
GVWR (lbs)	5000		
GAWR (lbs/axle)	5200		
Curb Weight	1300	1340	
Payload	3700	3660	
CHASSIS			
Crossmembers	Formed Steel, 24" On-Center		
Safety Chains	DOT Compliant		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 24" On-Center		
Roof Bows	Steel Tube, 24" On-Center		
Front Profile	V-Nose		
Ramp(s)	1150 lb. with Assist, (2) Recessed Cam Locks		
Side Door	32" Wide Flush Lock, 36" Wide Flush Lock		
Vents	Sidewall Airflow		
Fenders	Smooth Aluminum		
Axle	5200 lb. Drop Spring Brake		
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST225/75R15D 8-PR		
Wheels	15", 6-Hole Steel		
Undercoating	Automotive		
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel		
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)		
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion		
Stone Guard	16" ATP		
Roof	Flat Top Seamless Aluminum		
Interior Walls	Engineered Wood		
Interior Trim	Vinyl Wall Transitions		
Flooring	3/4" Engineered Wood		
Interior Lights	(1) LED		
Switches	(1) Dome Light, 12V		
Connector Plug	Round 7-pin Blade		
Exterior Lights	Full LED, DOT Compliant		
DIMENSIONS			
Overall Length	192"		
Deck Length	156"		
Deck Width	69"	81"	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 5K

6 x 12		7 x 12
Deck Height	18"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP FLAT FRONT 3K

6 x 10		6 x 12	
Model #	Y7210HLF-SA-030		Y7212HLF-SA-030
CAPACITIES			
GVWR (lbs)	2990		
GAWR (lbs/axle)	3500		
Curb Weight	995		1200
Payload	1995		1790
CHASSIS			
Crossmembers	Formed Steel, 24" On-Center		
Coupler	2" A-Frame		
Safety Chains	DOT Compliant		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 24" On-Center		
Roof Bows	Steel Tube, 24" On-Center		
Front Profile	Flat		
Ramp(s)	1150 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback		
Vents	Sidewall Airflow		
Fenders	Smooth Aluminum		
Axle	3500 lb. Drop Spring Idler		
Hubs	Easy Lube		
Tires	ST205/75R15C 6-PR		
Wheels	15", 5-Hole Steel		
Exterior Finish	.030" Aluminum		
Undercoating	Automotive		
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel		
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)		
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion		
Stone Guard	16" ATP		
Roof	Flat Top Seamless Aluminum		
Interior Walls	Engineered Wood		
Interior Trim	Vinyl Wall Transitions		
Interior Lights	(1) LED		
Switches	(1) Dome Light, 12V		
Connector Plug	Flat 4-pin		
Exterior Lights	Full LED, DOT Compliant		
DIMENSIONS			
Overall Length			192"
Deck Length			156"
Deck Width			69"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP FLAT FRONT 3K

6 x 10		6 x 12
Deck Height		18"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP V-NOSE 3.5K

	5 x 8	6 x 10	6 x 12	7 x 12
Model #	Y6008SA-035	Y7210SA-035	Y7212SA-035	Y8412SA-035
CAPACITIES				
GVWR (lbs)	2990	3500		
GAWR (lbs/axle)	3500			
Curb Weight	890	995	1200	1340
Payload	2100	2505	2300	2160
CHASSIS				
Crossmembers	Formed Steel, 24" On-Center			
Safety Chains	DOT Compliant			
Tongue Jack	2K Coupler Mounted			
Wall Studs	Steel Tube, 24" On-Center			
Roof Bows	Steel Tube, 24" On-Center			
Front Profile	V-Nose			
Ramp(s)	1150 lb. with Assist, (2) Recessed Cam Locks			
Side Door		32" Wide Flush Lock, 36" Wide Flush Lock		
Vents	Sidewall Airflow			
Fenders	Smooth Aluminum			
Axle	3500 lb. Drop Spring Brake			3500 lb. Drop Spring Idler
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST205/75R15C 6-PR			
Wheels	15", 5-Hole Steel			
Undercoating	Automotive			
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel			
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)			
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion			
Stone Guard	16" ATP			
Roof	Flat Top Seamless Aluminum			
Interior Walls	Engineered Wood			
Interior Trim	Vinyl Wall Transitions			
Flooring	3/4" Engineered Wood			
Interior Lights	(1) LED			
Switches	(1) Dome Light, 12V			
Connector Plug	Round 7-pin Blade			
Exterior Lights	Full LED, DOT Compliant			
DIMENSIONS				
Overall Length		168"	192"	
Deck Length		132"	156"	
Deck Width		69"		81"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 3.5K

	5 x 8	6 x 10	6 x 12	7 x 12
Deck Height			18"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP V-NOSE 3K

	4 x 6	5 x 8	5 x 10	5 x 12	6 x 10	6 x 12
Model #	Y4806SA-030	Y6008SA-030	Y6010SA-030	Y6012SA-030	Y7210SA-030	Y7212SA-030
CAPACITIES						
GVWR (lbs)	2990					
GAWR (lbs/axle)	3500					
Curb Weight	685	890	960	1030	1110	1200
Payload	2305	2100	2030	1960	1880	1790
CHASSIS						
Crossmembers	Formed Steel, 24" On-Center					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	1150 lb. with Assist, (2) Recessed Cam Locks					
Side Door					32" Wide Flush Lock, 36" Wide Flush Lock	
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	3500 lb. Drop Spring Idler					
Hubs	Easy Lube					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	16" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Flat 4-pin					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length		144"	162"	186"	168"	192"
Deck Length		105"	129"	153"	132"	156"
Deck Width		57"			69"	
Deck Height		18"				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



260.758.9838

NOVAECORP.COM

2025 Pricing

© 2025 Novae LLC



SE SERIES CARGO FLAT TOP V-NOSE 3K

6 x 14		7 x 12	
Model #	Y7214SA-030		Y8412SA-030
CAPACITIES			
GVWR (lbs)	2990		
GAWR (lbs/axle)	3500		
Curb Weight	1305		1340
Payload	1685		1650
CHASSIS			
Crossmembers	Formed Steel, 24" On-Center		
Safety Chains	DOT Compliant		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 24" On-Center		
Roof Bows	Steel Tube, 24" On-Center		
Front Profile	V-Nose		
Ramp(s)	1150 lb. with Assist, (2) Recessed Cam Locks		
Side Door	32" Wide Flush Lock, 36" Wide Flush Lock		
Vents	Sidewall Airflow		
Fenders	Smooth Aluminum		
Axle	3500 lb. Drop Spring Idler		
Hubs	Easy Lube		
Tires	ST205/75R15C 6-PR		
Wheels	15", 5-Hole Steel		
Undercoating	Automotive		
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel		
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)		
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion		
Stone Guard	16" ATP		
Roof	Flat Top Seamless Aluminum		
Interior Walls	Engineered Wood		
Interior Trim	Vinyl Wall Transitions		
Flooring	3/4" Engineered Wood		
Interior Lights	(1) LED		
Switches	(1) Dome Light, 12V		
Connector Plug	Flat 4-pin		
Exterior Lights	Full LED, DOT Compliant		
DIMENSIONS			
Overall Length	216"		192"
Deck Length	180"		156"
Deck Width	69"		81"
Deck Height	18"		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 10K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16
Model #	Y8412HLV-TA-100	Y8414HLV-TA-100	Y8416HLV-TA-100	Y8418HLV-TA-100	Y8420HLV-TA-100	Y10216HLV-TA-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5200					
Curb Weight	2175	2300	2425	2525	2650	2625
Payload	7725	7600	7475	7375	7250	7275
CHASSIS						
Tongue	4" x 2" Steel Triple Tube	6" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	2250 lb. with Assist					4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 10K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	204"	228"	252"	276"	300"	252"
Deck Length	156"	180"	204"	228"		204"
Deck Width	81"					97"
Deck Height	20"					22"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO
FLAT TOP V-NOSE 10K

	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
Model #	Y10218HLV-TA-100	Y10220HLV-TA-100	Y10222HLV-TA-100	Y10224HLV-TA-100	Y10226HLV-TA-100	Y10228HLV-TA-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5200					
Curb Weight	2775	2925	3080	3235	3390	3545
Payload	7125	6975	6820	6665	6510	6355
CHASSIS						
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	4000 lb. with Assist					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	276"	300"	324"	348"	372"	396"
Deck Length	228"	252"	276"	300"	324"	348"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 10K

	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
Deck Width	97"					
Deck Height	22"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO
FLAT TOP V-NOSE 10K

	8.5 x 30	8.5 x 32
Model #	Y10230HLV-TA-100	Y10232HLV-TA-100
CAPACITIES		
GVWR (lbs)	9900	
GAWR (lbs/axle)	5200	
Curb Weight	3700	3855
Payload	6200	6045
CHASSIS		
Crossmembers	Formed Steel, 16" On-Center	
Coupler	2-5/16" A-Frame	
Safety Chains	DOT Compliant	
Tongue Jack	2K Coupler Mounted	
Wall Studs	Steel Tube, 16" On-Center	
Roof Bows	Steel Tube, 24" On-Center	
Front Profile	V-Nose	
Ramp(s)	4000 lb. with Assist	
Vents	Sidewall Airflow	
Fenders	Smooth Aluminum	
Axle	(2) 5200 lb. Drop Spring Brake	
Hubs	Easy Lube	
Breakaway	Battery, Switch, and Lanyard	
Tires	ST225/75R15D 8-PR	
Wheels	15", 6-Hole Steel	
Exterior Finish	.030" Aluminum	
Undercoating	Automotive	
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel	
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)	
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion	
Stone Guard	24" ATP	
Roof	Flat Top Seamless Aluminum	
Interior Walls	Engineered Wood	
Interior Trim	Vinyl Wall Transitions	
Flooring	3/4" Engineered Wood	
Switches	(1) Dome Light, 12V	
Connector Plug	Round 7-pin Blade	
Exterior Lights	Full LED, DOT Compliant	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO
FLAT TOP V-NOSE 14K

	7 x 14	7 x 16	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Model #	Y8414HLV-TA-140	Y8416HLV-TA-140	Y10216HLV-TA-140	Y10218HLV-TA-140	Y10220HLV-TA-140	Y10222HLV-TA-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
Curb Weight	3150	2675	2775	2980	3150	3785
Payload	10850	11325	11225	11020	10850	10215
CHASSIS						
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	2250 lb. with Assist		4000 lb. with Assist			
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 14K

	7 x 14	7 x 16	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
DIMENSIONS						
Overall Length					300"	324"
Deck Length					252"	276"
Deck Width					97"	
Deck Height					24"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO
FLAT TOP V-NOSE 14K

	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32
Model #	Y10224HLV-TA-140	Y10226HLV-TA-140	Y10228HLV-TA-140	Y10230HLV-TA-140	Y10232HLV-TA-140
CAPACITIES					
GVWR (lbs)	14000		14000		1400
GAWR (lbs/axle)	7000				
Curb Weight	4420	4620	4370	4375	4620
Payload	9580		9630	9625	-3220
CHASSIS					
Crossmembers	Formed Steel, 16" On-Center				
Coupler	2-5/16" A-Frame				
Safety Chains	DOT Compliant				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 24" On-Center				
Front Profile	V-Nose				
Ramp(s)	4000 lb. with Assist				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(2) 7000 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST235/80R16E 10-PR				
Wheels	16", 8-Hole Steel				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel				
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)				
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion				
Stone Guard	24" ATP				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Vinyl Wall Transitions				
Flooring	3/4" Engineered Wood				
Switches	(1) Dome Light, 12V				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	348"	372"	396"		
Deck Length	300"	324"	348"		
Deck Width	97"				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 14K

	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32
Deck Height	24"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP V-NOSE 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
Model #	Y7210HLV-TA-070	Y7212HLV-TA-070	Y7214HLV-TA-070	Y8412HLV-TA-070	Y8414HLV-TA-070	Y8416HLV-TA-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	1525	1700	1880	1950	2175	2280
Payload	5475	5300	5120	5050	4825	4720
CHASSIS						
Tongue				4" x 2" Steel Triple Tube		
Crossmembers	Formed Steel, 16" On-Center		Formed Steel, 24" On-Center			
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	2250 lb. with Assist					
Side Door				32" Wide Flush Lock, Cast Aluminum Holdback		
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	168"	192"	216"	192"	216"	240"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



260.758.9838

NOVAECORP.COM

2025 Pricing

© 2025 Novae LLC



SE SERIES CARGO
FLAT TOP V-NOSE 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
Deck Length	132"	156"	180"	156"	180"	204"
Deck Width	69"			81"		
Deck Height	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP V-NOSE 7K

	7 x 18	7 x 20	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Model #	Y8418HLV-TA-070	Y8420HLV-TA-070	Y10214HLV-TA-070	Y10216HLV-TA-070	Y10218HLV-TA-070	Y10220HLV-TA-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	2400	2550	2350	2500	2650	2800
Payload	4600	4450	4650	4500	4350	4200
CHASSIS						
Tongue	4" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 24" On-Center		Formed Steel, 16" On-Center			
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	2250 lb. with Assist		4000 lb. with Assist			
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 7K

	7 x 18	7 x 20	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
DIMENSIONS						
Overall Length	264"	300"	216"	240"	264"	288"
Deck Length	228"		180"	204"	228"	252"
Deck Width	81"		97"			
Deck Height	18"		20"			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP V-NOSE 7K

	8.5 x 22	8.5 x 24	8.5 x 26
Model #	Y10222HLV-TA-070	Y10224HLV-TA-070	Y10226HLV-TA-070
CAPACITIES			
GVWR (lbs)	7000		
GAWR (lbs/axle)	3500		
Curb Weight	2950	3100	3250
Payload	4050	3900	3750
CHASSIS			
Crossmembers	Formed Steel, 16" On-Center		
Coupler	2-5/16" A-Frame		
Safety Chains	DOT Compliant		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 16" On-Center		
Roof Bows	Steel Tube, 24" On-Center		
Front Profile	V-Nose		
Ramp(s)	4000 lb. with Assist		
Vents	Sidewall Airflow		
Fenders	Smooth Aluminum		
Axle	(2) 3500 lb. Drop Spring Brake		
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST205/75R15C 6-PR		
Wheels	15", 5-Hole Steel		
Exterior Finish	.030" Aluminum		
Undercoating	Automotive		
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel		
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)		
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion		
Stone Guard	24" ATP		
Roof	Flat Top Seamless Aluminum		
Interior Walls	Engineered Wood		
Interior Trim	Vinyl Wall Transitions		
Flooring	3/4" Engineered Wood		
Switches	(1) Dome Light, 12V		
Connector Plug	Round 7-pin Blade		
Exterior Lights	Full LED, DOT Compliant		
DIMENSIONS			
Overall Length	324"	348"	372"
Deck Length	276"	300"	324"
Deck Width	97"		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP V-NOSE 7K

	8.5 x 22	8.5 x 24	8.5 x 26
Deck Height	20"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP FLAT FRONT 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
Model #	Y7210HLF-TA-070	Y7212HLF-TA-070	Y7214HLF-TA-070	Y8412HLF-TA-070	Y8414HLF-TA-070	Y8416HLF-TA-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	1525	1700	1880	1950	2175	2280
Payload	5475	5300	5120	5050	4825	4720
CHASSIS						
Tongue	4" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Flat					
Ramp(s)	2250 lb. with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	168"	192"	216"	192"	216"	240"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP FLAT FRONT 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
Deck Length	132"	156"	180"	141"	165"	189"
Deck Width	69"			81"		
Deck Height	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP FLAT FRONT 7K

	7 x 18	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Model #	Y8418HLF-TA-070	Y10212HLF-TA-070	Y10214HLF-TA-070	Y10216HLF-TA-070	Y10218HLF-TA-070	Y10220HLF-TA-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	2400	2200	2350	2500	2650	2800
Payload	4600	4800	4650	4500	4350	4200
CHASSIS						
Tongue	4" x 2" Steel Triple Tube	6" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 24" On-Center	Formed Steel, 16" On-Center				
Integrated Step(s)		Interior Recessed				
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Flat					
Ramp(s)	2250 lb. with Assist	4000 lb. with Assist				
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP FLAT FRONT 7K

	7 x 18	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	264"	204"	228"	252"	276"	300"
Deck Length	213"	141"	165"	189"	213"	237"
Deck Width	81"	97"				
Deck Height	18"	20"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP FLAT FRONT 7K

	8.5 x 22	8.5 x 24	8.5 x 26
Model #	Y10222HLF-TA-070	Y10224HLF-TA-070	Y10226HLF-TA-070
CAPACITIES			
GVWR (lbs)	7000		
GAWR (lbs/axle)	3500		
Curb Weight	2950	3100	3250
Payload	4050	3900	3750
CHASSIS			
Tongue	6" x 2" Steel Triple Tube		
Crossmembers	Formed Steel, 16" On-Center		
Integrated Step(s)	Interior Recessed		
Coupler	2-5/16" A-Frame		
Safety Chains	DOT Compliant		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 16" On-Center		
Roof Bows	Steel Tube, 24" On-Center		
Front Profile	Flat		
Ramp(s)	4000 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback		
Vents	Sidewall Airflow		
Fenders	Smooth Aluminum		
Axle	(2) 3500 lb. Drop Spring Brake		
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST205/75R15C 6-PR		
Wheels	15", 5-Hole Steel		
Exterior Finish	.030" Aluminum		
Undercoating	Automotive		
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel		
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)		
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion		
Stone Guard	24" ATP		
Roof	Flat Top Seamless Aluminum		
Interior Walls	Engineered Wood		
Interior Trim	Vinyl Wall Transitions		
Interior Lights	(1) LED		
Switches	(1) Dome Light, 12V		
Connector Plug	Round 7-pin Blade		
Exterior Lights	Full LED, DOT Compliant		
DIMENSIONS			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO
FLAT TOP FLAT FRONT 7K

	8.5 x 22	8.5 x 24	8.5 x 26
Overall Length	324"	348"	372"
Deck Length	261"	285"	309"
Deck Width	97"		
Deck Height	20"		22"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP FLAT FRONT 10K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 14
Model #	Y8412HLF-TA-100	Y8414HLF-TA-100	Y8416HLF-TA-100	Y8418HLF-TA-100	Y8420HLF-TA-100	Y10214HLF-TA-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5200					
Curb Weight	2175	2300	2425	2525	2475	2475
Payload	7725	7600	7475	7375	7425	7425
CHASSIS						
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)						Interior Recessed
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Flat					
Ramp(s)	2250 lb. with Assist					4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP FLAT FRONT 10K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 14
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	192"	216"	240"	264"	288"	228"
Deck Length	141"	165"	189"	213"	237"	165"
Deck Width	81"					97"
Deck Height	20"					22"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



SE SERIES CARGO FLAT TOP FLAT FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	Y10216HLF-TA-100	Y10218HLF-TA-100	Y10220HLF-TA-100	Y10222HLF-TA-100	Y10224HLF-TA-100	Y10226HLF-TA-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5200					
Curb Weight	2625	2775	2925	3080	3235	3390
Payload	7275	7125	6975	6820	6665	6510
CHASSIS						
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Flat					
Ramp(s)	4000 lb. with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Protective Coating(s)	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Bottom Extrusion, 3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





SE SERIES CARGO
FLAT TOP FLAT FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
DIMENSIONS						
Overall Length	252"	276"	300"	324"	348"	372"
Deck Length	189"	213"	237"	261"	285"	309"
Deck Width	97"					
Deck Height	22"					24"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.