



**XE SERIES CARGO  
FLAT TOP V-NOSE 3.5K**

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
<b>Model #</b>	YXEV-6008-BP-035	YXEV-6010-BP-035	YXEV-7210-BP-035	YXEV-7212-BP-035	YXEV-7214-BP-035	YXEV-8412-BP-035
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	3500					
<b>GAWR (lbs/axle)</b>	3500					
<b>Curb Weight</b>	1020	1090	1240	1400	1320	1585
<b>Payload</b>	2480	2410	2260	2100	2180	1915
<b>CHASSIS</b>						
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2" A-Frame					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1150 lb. with Assist, (2) Recessed Cam Locks			2250 lb. with Assist, (2) Recessed Cam Locks		
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	3500 lb. Drop Spring Brake					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Protective Coating(s)</b>	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.75" Top Extrusion					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant					
<b>DIMENSIONS</b>						
<b>Overall Length</b>	144"	168"	192"	216"	216"	192"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE SERIES CARGO  
FLAT TOP V-NOSE 3.5K**

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
<b>Deck Length</b>	105"	129"	132"	156"	180"	156"
<b>Deck Width</b>	69"					81"
<b>Deck Height</b>	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XE SERIES CARGO  
FLAT TOP V-NOSE 3K**

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
<b>Model #</b>	YXEV-6008-BP-030	YXEV-6010-BP-030	YXEV-7210-BP-030	YXEV-7212-BP-030	YXEV-7214-BP-030	YXEV-8412-BP-030
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	2990					
<b>GAWR (lbs/axle)</b>	3500					
<b>Curb Weight</b>	995	1060	1260	1340	1700	1540
<b>Payload</b>	1995	1930	1730	1650	1290	1450
<b>CHASSIS</b>						
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2" A-Frame					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1150 lb. with Assist, (2) Recessed Cam Locks			2250 lb. with Assist, (2) Recessed Cam Locks		
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	3500 lb. Drop Spring Idler					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Protective Coating(s)</b>	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.75" Top Extrusion					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Flat 4-pin					
<b>Exterior Lights</b>	Full LED, DOT Compliant					
<b>DIMENSIONS</b>						
<b>Overall Length</b>	144"	162"	168"	192"	216"	192"
<b>Deck Length</b>	105"	129"	132"	156"	180"	156"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE SERIES CARGO  
FLAT TOP V-NOSE 3K**

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
<b>Deck Width</b>	57"		69"			81"
<b>Deck Height</b>	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XE SERIES CARGO  
FLAT TOP V-NOSE 5K**

	6 x 10	6 x 12	6 x 14
<b>Model #</b>	YXEV-7210-BP-050	YXEV-7212-BP-050	YXEV-7214-BP-050
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		5000	
<b>GAWR (lbs/axle)</b>		3500	
<b>Curb Weight</b>	1300	1380	1460
<b>Payload</b>	3700	3620	3540
<b>CHASSIS</b>			
<b>Crossmembers</b>	Formed Steel, 24" On-Center		
<b>Coupler</b>	2" A-Frame		
<b>Tongue Jack</b>	2K Coupler Mounted		
<b>Wall Studs</b>	Steel Tube, 24" On-Center		
<b>Roof Bows</b>	Steel Tube, 24" On-Center		
<b>Front Profile</b>	V-Nose		
<b>Ramp(s)</b>	2250 lb. with Assist, (2) Recessed Cam Locks		
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback		
<b>Vents</b>	Sidewall Airflow		
<b>Fenders</b>	Smooth Aluminum		
<b>Axle</b>	5200 lb. Drop Spring Brake		
<b>Breakaway</b>	Battery, Switch, and Lanyard		
<b>Tires</b>	ST225/75R15D 8-PR		
<b>Wheels</b>	15", 6-Hole Steel		
<b>Exterior Finish</b>	.030" Aluminum		
<b>Undercoating</b>	Automotive		
<b>Protective Coating(s)</b>	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel		
<b>Exterior Fastening</b>	Color Matching Screws		
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.75" Top Extrusion		
<b>Stone Guard</b>	16" ATP		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	Engineered Wood		
<b>Interior Trim</b>	Vinyl Wall Transitions		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(1) LED		
<b>Switches</b>	(1) Dome Light, 12V		
<b>Connector Plug</b>	Round 7-pin Blade		
<b>Exterior Lights</b>	Full LED, DOT Compliant		
<b>DIMENSIONS</b>			
<b>Overall Length</b>	168"	192"	216"
<b>Deck Length</b>	132"	156"	180"
<b>Deck Width</b>		69"	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE SERIES CARGO  
FLAT TOP V-NOSE 5K**

	6 x 10	6 x 12	6 x 14
<b>Deck Height</b>		18"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XE SERIES CARGO  
FLAT TOP V-NOSE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	YXEV-10216-BP-100	YXEV-10218-BP-100	YXEV-10220-BP-100	YXEV-10222-BP-100	YXEV-10224-BP-100
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	9900				
<b>GAWR (lbs/axle)</b>	5200				
<b>Curb Weight</b>	2380	2530	2680	2930	3080
<b>Payload</b>	7520	7370	7220	6970	6820
<b>CHASSIS</b>					
<b>Crossmembers</b>	Formed Steel, 24" On-Center				
<b>Integrated Step(s)</b>	Interior Recessed				
<b>Coupler</b>	2-5/16" A-Frame				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	2K Coupler Mounted				
<b>Wall Studs</b>	Steel Tube, 24" On-Center				
<b>Roof Bows</b>	Steel Tube, 24" On-Center				
<b>Front Profile</b>	V-Nose				
<b>Ramp(s)</b>	(2) Recessed Cam Locks, 4000 lb. with Assist				
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback				
<b>Vents</b>	Sidewall Airflow				
<b>Fenders</b>	Smooth Aluminum				
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST225/75R15D 8-PR				
<b>Wheels</b>	15", 6-Hole Steel				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Automotive				
<b>Protective Coating(s)</b>	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel				
<b>Exterior Fastening</b>	Color Matching Screws				
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.75" Top Extrusion				
<b>Stone Guard</b>	16" ATP				
<b>Roof</b>	Flat Top Seamless Aluminum				
<b>Interior Walls</b>	Engineered Wood				
<b>Interior Trim</b>	Vinyl Wall Transitions				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(1) LED				
<b>Switches</b>	(1) Dome Light, 12V				
<b>Connector Plug</b>	Round 7-pin Blade				
<b>Exterior Lights</b>	Full LED, DOT Compliant				
<b>DIMENSIONS</b>					
<b>Overall Length</b>	240"	276"	300"	324"	348"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE SERIES CARGO  
FLAT TOP V-NOSE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	
<b>Deck Length</b>	204"	228"	252"	276"	300"	
<b>Deck Width</b>	97"					
<b>Deck Height</b>	20"				22"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE SERIES CARGO  
FLAT TOP V-NOSE 7K**

	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18
<b>Model #</b>	YXEV-7212-BP-070	YXEV-8412-BP-070	YXEV-8414-BP-070	YXEV-8416-BP-070	YXEV-10216-BP-070	YXEV-10218-BP-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>Curb Weight</b>	1540	1870	1905	2140	2270	2420
<b>Payload</b>	5460	5130	5095	4860	4730	4580
<b>CHASSIS</b>						
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	2250 lb. with Assist, (2) Recessed Cam Locks					
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Protective Coating(s)</b>	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.75" Top Extrusion					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant					
<b>DIMENSIONS</b>						

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE SERIES CARGO  
FLAT TOP V-NOSE 7K**

	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18
<b>Overall Length</b>		192"	216"		240"	264"
<b>Deck Length</b>		156"	180"		204"	228"
<b>Deck Width</b>	69"		81"			97"
<b>Deck Height</b>			18"			20"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# XE SERIES CARGO FLAT TOP V-NOSE 7K

8.5 x 20

<b>Model #</b>	YXEV-10220-BP-070
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	7000
<b>GAWR (lbs/axle)</b>	3500
<b>Curb Weight</b>	2570
<b>Payload</b>	4430
<b>CHASSIS</b>	
<b>Crossmembers</b>	Formed Steel, 16" On-Center
<b>Integrated Step(s)</b>	Interior Recessed
<b>Coupler</b>	2-5/16" A-Frame
<b>Safety Chains</b>	DOT Compliant
<b>Tongue Jack</b>	2K Coupler Mounted
<b>Wall Studs</b>	Steel Tube, 24" On-Center
<b>Roof Bows</b>	Steel Tube, 24" On-Center
<b>Front Profile</b>	V-Nose
<b>Ramp(s)</b>	2250 lb. with Assist, (2) Recessed Cam Locks
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Smooth Aluminum
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR
<b>Wheels</b>	15", 5-Hole Steel
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Protective Coating(s)</b>	Polyethylene Vapor Barrier, Textured Polyurea all Exposed Steel
<b>Exterior Fastening</b>	Color Matching Screws
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.75" Top Extrusion
<b>Stone Guard</b>	16" ATP
<b>Roof</b>	Flat Top Seamless Aluminum
<b>Interior Walls</b>	Engineered Wood
<b>Interior Trim</b>	Vinyl Wall Transitions
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(1) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Connector Plug</b>	Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant
<b>DIMENSIONS</b>	
<b>Overall Length</b>	300"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE SERIES CARGO  
FLAT TOP V-NOSE 7K**

<b>8.5 x 20</b>	
<b>Deck Length</b>	<b>252"</b>
<b>Deck Width</b>	<b>97"</b>
<b>Deck Height</b>	<b>20"</b>



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.